

Colour Devices

Colour Devices																														○:Supported ×:Not Supported									
Model Name	Device Management									Authentication Management				Log Management			Print Management								Flow Management					Simple Flow feature (Scan & Connect)	Cost Management ^{*17}			Image Log Control					
	Monitor Status ^{*1}	User Information/ Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication ^{*15}	Security Monitoring Settings	Login/ Account Limit	Secondary Server	Multiple User IDs	User Registration	Collect Job Log	Usage Status Display Service	Electricity/ Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader	Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ^{*18}	Fax ^{*19}	Account Reports		Force stop when minimum balance is reached	Supported models as a Cost Management System	Transfer Image Log from Device ^{*22}						
					External Access ^{*15}	ApeosWare Menu ^{*15}															Device connection	Device connection	Network connection																
Apeos																																							
Apeos C7072/C6572/C5572/C4572/C3572/C3072	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*50}	○ ^{*49~*50}							
Apeos C7071/C6571/C5571/C4571/C3571/C3071	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*50}	○ ^{*49~*50}							
Apeos C3061/C2561/C2061	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*50}	○ ^{*49~*50}							
Apeos C3567/C3067/C2567	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*50}	○ ^{*49~*50}							
Apeos C4030/C3530	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*56}	○ ^{*49~*50}							
Apeos C3060/C2560/C2060	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*56}	○ ^{*49~*50}							
Apeos C5240	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*56}	○ ^{*49~*50}							
Apeos C8180/C7580/C6580	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*56}	○ ^{*49~*50}							
Apeos C7070/C6570/C5570/C4570/C3570/C3070	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*56}	○ ^{*49~*50}							
ApeosPort																																							
ApeosPort C7070/C6570/C5570/C4570/C3570/C3070	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*57}	○ ^{*49~*50}							
ApeosPort C3060	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*58}	○ ^{*49~*50}							
ApeosPort C2560/C2060	○	○	○	○	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*58}	○ ^{*49~*50}							
ApeosPort-VII C4421/C3321	○	○	○	○ ^{*55}	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*58}	○ ^{*49~*50}							
ApeosPort-VII C7788/C6688/C5588	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*58}	○ ^{*49~*50}							
ApeosPort-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ^{*54}	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*57}	○ ^{*49~*50}							
ApeosPort-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	×	×	○	○	○	○	○	○	○	○ ^{*26~*57}	○ ^{*49~*50}							
ApeosPort-V C7785/C6685/C5585	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*28~*49~*50}							
ApeosPort-V C7776/C6676/C5576/C4476/C3376/C3374/C2276	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*28}	○ ^{*29~*49~*50}						
ApeosPort-V C3320	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*28}	○ ^{*50}						
ApeosPort-V C7780/C6680/C5580 T2 model ^{*20}	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*30~*49~*50}							
ApeosPort-V C7775/C6675/C5575/C4475/C3375/C3373/C2275 T2 model ^{*12}	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*28}	○ ^{*31~*49~*50}						
ApeosPort-V C7780/C6680/C5580	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	×	^{*16}	○ ^{*52~*50}						
ApeosPort-V C7775/C6675/C5575/C4475/C3375/C3373/C2275	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	×	^{*16}	○ ^{*53~*50}					
ApeosPort-IV C5575/C4475/C3375/C3373/C2275	○	○	○	○	○	○	×	○	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	×	^{*16}	○ ^{*34~*35~*51}					
ApeosPort-IV C4430	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○ ^{*14}	×	^{*16}	×	○ ^{*35~*38}					
ApeosPort-IV C7780/C6680/C5580 ^{*2}	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○ ^{*14}	×	^{*16}	×	○ ^{*35~*37}					
ApeosPort-IV C5570/C4470/C3370/C3371/C2270 ^{*7}	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○ ^{*5}	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○ ^{*14}	×	^{*16}	×	○ ^{*35~*38}					
DocuCentre																																							
DocuCentre-VII C7788/C6688/C5588	○	○	○	○	×	×	○	×	○	×	×	×	×	○ ^{*22}	×	○	○	×	○	×	×	×	×	○	○	×	○	○	×	○ ^{*14}	×	^{*16}	○ ^{*58}	×					
DocuCentre-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273	○	○	○	○	×	×	○	×	○	×	×	×	×	○ ^{*21}	×	○	○	×	○	×	×	×	×	○	○	×	○	○	×	○ ^{*14}	×	^{*16}	○ ^{*26~*57}	×					
DocuCentre-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	×	○	○	×	○	○	×	○ ^{*14}	×	^{*16}	○ ^{*26~*57}	×					
DocuCentre-V C2265/C2263	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	×	○	○														

Model Name	Device Management								Authentication Management				Log Management			Print Management								Flow Management				Simple Flow feature (Scan & Connect)			Cost Management ¹¹⁷			Image Log Control
	Monitor Status ¹¹	User Information/Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication ¹¹⁵	Security Monitoring Settings	Login/Account Limit	Secondary Server	Multiple User IDs	User Registration	Collect Job Log	Usage Status Display Service	Electricity/Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader	Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ¹⁸	Fax ¹⁸	Simple Flow feature (Scan & Connect)	Account Reports	Force stop when minimum balance is reached	Supported models as a Cost Management System	Transfer Image Log from Device ¹⁵²	
					External Access ¹⁵	ApeosWare Menu ¹⁵															Device connection	Device connection	Network connection											
Apeos																																		
Apeos 6571	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴⁹⁻⁵⁰	
Apeos 3561/3061/2561	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴⁹⁻⁵⁰	
Apeos 5330/4830	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶⁻⁵⁶	○ ⁴⁹⁻⁵⁰	
Apeos 7580/6580	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ⁵⁶	○ ⁴⁹⁻⁵⁰		
Apeos 3560/3060/2560	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶⁻⁵⁶	○ ⁴⁹⁻⁵⁰		
Apeos 6340	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶⁻⁵⁶	○ ⁴⁹⁻⁵⁰		
Apeos 5570/4570	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶⁻⁵⁶	○ ⁴⁹⁻⁵⁰		
ApeosPort																																		
ApeosPort 5570/4570	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴⁹⁻⁵⁰		
ApeosPort 3560/3060/2560	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴⁹⁻⁵⁰		
ApeosPort-VII 5021/4021	○	○	○	○ ⁹⁵	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○ ²⁴	x	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴⁹⁻⁵⁰		
ApeosPort-V 3065/3060/2060	○	○	○	○	○	○	○	○	x	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ³⁹⁻⁴⁹⁻⁵⁰		
ApeosPort-V 7080 N/6080 N	○	○	○	○	○	○	○	○	x	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	x	○	○	○	○	○	○	○	○	○	○ ⁴⁰⁻⁴⁹⁻⁵⁰		
ApeosPort-V 7080/6080	○	○	○	○	○	○	○	○	x	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	x	○	○	○	○	○	○	○	○	○	○ ⁴⁰⁻⁴⁹⁻⁵⁰		
ApeosPort-V 5070/4070	○	○	○	○	○	○	○	○	x	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	x	○	○	○	○	○	○	○	○	○ ²⁶	○ ⁴¹⁻⁴⁹⁻⁵⁰		
ApeosPort-V 4020	○	○	○	○																														

Model Name	Device Management								Authentication Management				Log Management			Print Management								Flow Management					Simple Flow feature (Scan & Connect)			Cost Management ¹⁷			Image Log Control		
	Monitor Status ¹¹	User Information/Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication ¹⁵	Security Monitoring Settings	Login/Account Limit	Secondary Server	Multiple User IDs	User Registration	Collect Job Log	Usage Status Display Service	Electricity/Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader	Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ¹⁸	Fax ¹⁸	Simple Flow feature (Scan & Connect)	Account Reports	Force stop when minimum balance is reached	Supported models as a Cost Management System	Transfer Image Log from Device ¹²				
					External Access ¹⁵	ApeosWare Menu ¹⁵															Device connection	Device connection	Network connection														
Production Color																																					
Revoria Press SC180/SC170	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	×	○	○	×	○	○	○	○	○ ²⁴	○	×	○	×	×	×	○	○	×	×	×	○	○	×	×	×
Versant 180i/170i Press	○	○	○	○	○	○	○	○	×	○	○	○	×	○	○	○	○ ¹³	○ ¹³	○ ¹³	○ ¹³	○ ¹³ ²⁴	○ ¹³	×	○ ¹³	×	×	×	×	×	×	×	○	○	×	×	○ ⁴⁹ ⁵⁰	
PrimeLink C9070/C9065 Printer	○	○	○	○	○	○	○	○	×	○	○	○	○	○ ²³	○	×	○	○	○	○	○ ²⁴	×	×	○	○	○	○	×	○	○	○	○	○	○	×	×	○ ⁴⁹ ⁵⁰
ApeosPro C810/C750/C650 ⁵⁴	○	○	○	○	○	○	○	○	○	○	○ ²⁵	○ ²⁵	○	○	○	○	○	○	○	○	○ ²⁴	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ⁴⁹ ⁵⁰ ⁵³
DocuColor 1450 GA ³	○	○	○	○	×	×	×	×	×	○	○	○	×	○	×	○	×	○	×	×	×	×	×	×	○	×	×	×	×	×	○ ¹⁴	×	×	×	×		
Versant 80 Press	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○ ¹³	○ ¹³	○ ¹³	○ ¹³	○ ¹³ ²⁴	○ ¹³	×	○ ¹³	×	×	×	×	×	×	×	×	○	×	×	×	
Versant 180 Press	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○ ¹³	○ ¹³	○ ¹³	○ ¹³	○ ¹³ ²⁴	○ ¹³	×	○ ¹³	×	×	×	×	×	×	×	×	○	×	×	×	
Color C60/C70	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○ ¹³	○ ¹³	○ ¹³	○ ¹³	○ ¹³ ²⁴	○ ¹³	×	○ ¹³	×	×	×	×	×	×	×	○	×	×	○ ⁴⁴ ⁴⁹ ⁵⁰		
Color 560/550	○	○	○	○	○	×	×	×	×	○	○	○	○	○	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	○ ¹⁴	×	×	×	×		
Color C75 Press	○	○	○	○	○	○	×	○	×	○	○	○	○	○	○	○	×	×	×	×	○ ²⁴	×	×	×	×	×	×	×	×	×	×	○	×	×	×		
Color J75 Press	○	○	○	○	○	○	×	○	×	○	○	○	○	○	○	○	×	×	×	×	○ ²⁴	×	×	×	×	×	×	×	×	×	×	○	×	×	×		
Production Black & White																																					
Revoria Press E1136/E1125/E1110/E1100	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○ ²⁴	×	×	○	○	○	○	×	○	○	×	×	○ ⁴⁹ ⁵⁰				
D136 Light Publisher	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	×	○	○	○	×	○	○ ¹⁴	×	×	×	×	○ ²⁵ ⁴⁵			
D125/D110/D95 Light Publisher	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ²⁴	○	×	○	○</												

Wide Format

Model Name	Device Management									Authentication Management				Log Management			Print Management								Flow Management				Cost Management ^{*17}			Image Log Control	
	Monitor Status ^{*1}	User Information/ Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication ^{*15}	Security Monitoring Settings	Login/ Account Limit	Secondary Server	Multiple User IDs	User Registration	Collect Job Log	Usage Status Display Service	Electricity/ Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader	Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ^{*18}	Fax ^{*18}	Simple Flow feature (Scan & Connect)	Account Reports	Force stop when minimum balance is reached	Supported models as a Cost Management System	Transfer Image Log from Device ^{*12}
					External Access ^{*15}	ApeosWare Menu ^{*15}															Device connection	Device connection	Network connection										
ApeosWide 6050/3030 ^{*27}	○	×	○	×	×	×	×	×	×	○	○	○	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
DocuWide 6057/3037	○	×	○	×	×	×	×	×	×	○	○	○	×	○	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×
DocuWide 6055/6035 ^{*9}	○	×	○	×	×	×	×	×	×	○	○	○	×	×	×	×	○	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×
DocuWide 3035	○	×	○	×	×	×	×	×	×	○	○	○	×	○ ^{*11}	×	×	○	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×

Printers

Model Name	Device Management									Authentication Management				Log Management			Print Management								Flow Management				Simple Flow feature (Scan & Connect)			Cost Management ^{*17}			Image Log Control
	Monitor Status ^{*1}	User Information/ Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentica-tion ^{*15}	Security Monitoring Settings	Login/ Account Limit	Secondary Server	Multiple User IDs	User Registration	Collect Job Log	Usage Status Display Service	Electricity/ Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader	Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ^{*8}	Fax ^{*8}			Account Reports	Force stop when minimum balance is reached	Supported models as a Cost Management System	Transfer Image Log from Device ^{*52}	
					External Access ^{*15}	ApeosWare Menu ^{*15}															Device connection	Device connection	Network connection												
Color Laser Printers																																			
ApeosPrint C4030	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*56}	○ ^{*49} ^{*50}		
ApeosPrint C5570	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*56}	○ ^{*49} ^{*50}		
ApeosPrint C5240	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*56}	○ ^{*49} ^{*50}		
ApeosPort-VII CP4421	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*58}	○ ^{*49} ^{*50}		
ApeosPort Print C5570	○	○	×	×	○	○	○	○	○	○	○ ^{*25}	○ ^{*25}	×	○	×	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*58}	○ ^{*49} ^{*50}		
DocuPrint C3555 d	○	○	×	×	×	×	○	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*26}	○ ^{*49} ^{*50}		
DocuPrint C2555 d	○	○	×	×	×	×	○	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*26}	×		
DocuPrint CP475 AP	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	×	○	×	○	○	×	○	×	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*58}	○ ^{*49} ^{*50}		
DocuPrint CM415 AP	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*26}	○ ^{*50}		
DocuPrint CM505 da	○	○	○	○	×	×	×	×	×	○	○	○	×	○	×	×	○	×	○	×	×	×	○	○	×	○	○	○	×	○ ^{*14}	×	^{*16} ×	×		
DocuPrint C5155 d	○	○	×	×	×	×	×	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	○	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*18} ^{*26}	○		
DocuPrint C5005 d	○	○	×	×	×	×	×	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	○	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*19} ^{*26}	○ ^{*35} ^{*47}		
Black & White Laser Printers																																			
ApeosPrint 5330	○	○	×	×	×	×	○	○	○	○	○ ^{*25}	○ ^{*25}	○	○	○	○	○	×	○	○	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*56}	○ ^{*49} ^{*50}		
ApeosPrint 4560 S/3960 S/3360 S	○	○	×	×	×	×	○	×	○	○	○	○	×	○	×	×	○	×	○	×	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	○	○ ^{*26} ^{*59}	○ ^{*49} ^{*50}		
DocuPrint 4405 d/3505 d/3205 d/4408 d/3508 d/3208 d	○	○	×	×	×	×	○	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	×	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*26}	○ ^{*49} ^{*50}		
DocuPrint 5105 d	○	○	×	×	×	×	○	×	×	○	○	○	×	○	×	○	○	×	○	×	○ ^{*24}	○	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*26}	○ ^{*40} ^{*49} ^{*50}		
DocuPrint M465 AP	○	○	○	○	○	○	○	○	×	○	○	○	×	○	○	○	○	×	○	○	○ ^{*24}	○	×	○	○	○	○	○	○	○	○	○ ^{*26}	○ ^{*50}		
DocuPrint 3105	○	○	×	×	×	×	×	×	×	○	○	○	×	○	×	×	○	×	○	×	○ ^{*24}	○	×	○	×	×	○	×	×	○ ^{*14}	×	^{*16} ○ ^{*20} ^{*26}	○ ^{*35} ^{*48} ^{*50}		
D136 Printer	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	×	○	○ ^{*14}	×	^{*16} ×	×	○ ^{*35} ^{*43} ^{*50}	
D125/D110/D95 Printer	○	○	○	○	○	○	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○ ^{*24}	○	×	○	○	○	○	×	○	○ ^{*14}	×	^{*16} ×	×	○ ^{*35} ^{*48} ^{*50}	

【Note】

Note: Products for sale may differ according to country or region. For more information, please contact the FUJIFILM Business Innovation office or authorized dealers in each country/region.
Note: Models whose support period has ended are not covered by ApeosWare Management Suite 2 support, even if they are listed in this list.

- *1 Status monitoring can be performed for devices that conform to RFC1759.
- *2 Controller ROM 1.104.1and above
- *3 Printer-related features cannot be used.
- *4 1.1.0.1 or later is required to use ApeosWare Print Management.
- *5 Controller ROM 1.101.20 and above
- *6 Controller ROM 1.120.40 and above
- *7 Controller ROM 1.103.13 and above
- *8 Only PCL driver is supported (Mini driver is not supported.)
- *9 Controller ROM 1.3.46 and above
- *10 Controller ROM 1.101.12 and above
- *11 Controller ROM 1.0.25 and above
- *12 Controller ROM 2.0.0 and above
- *13 Print via print-server cannot be used.
- *14 You cannot select account. Cost is reduced from the default account.
- *15 An Option may be required according to type or model.
- *16 Available only in Direct Print mode via ApeosWare Management Suite 2 and print feature using On Demand Print Terminal.
For a print job that has reached the minimum balance when printing, the print job is canceled in the case of Direct Print mode, and printing cannot be started on the On Demand Print Terminal.
However, "On Demand Print Terminal" option must be available to use it. "On Demand Print Terminal" is an option for the Japanese domestic market.
- *17 HDD required.
- *18 Controller ROM 1.182.19 and above
- *19 Controller ROM 1.102.19 and above
- *20 Controller ROM 1.101.19 and above
- *21 Controller ROM 1.3.4 and above
- *22 Controller ROM 1.3.5 and above
- *23 Controller ROM 1.1.4 and above
- *24 Only operates when supported Smart Card Reader is connected to device.
- *25 Remote Authentication Kit required.
- *26 If only one side is printed due to a paper jam during 2 sided print, and then both sides are printed normally, you may be charged more than the number of the printed document.
- *27 Controller ROM 1.0.15 and above
- *28 Controller ROM 1.2.11 and above
- *29 Controller ROM 1.1.12 and above
- *30 Controller ROM 2.1.15 and above
- *31 Controller ROM 2.1.16 / 2.41.16 and above
- *32 Controller ROM 1.3.26 and above
- *33 Controller ROM 1.3.27 and above
- *34 Controller ROM 1.131.15 and above
- *35 [Schedule Transfer] in [Logs to Transfer] of image log is not supported.
- *36 Controller ROM 1.101.35 / 1.161.35 and above
- *37 Controller ROM 1.104.18 and above
- *38 Controller ROM 1.101.38 / 1.104.27 and above
- *39 Controller ROM 1.0.28 and above
- *40 Controller ROM 1.0.12 and above
- *41 Controller ROM 1.0.13 and above
- *42 Controller ROM 1.131.12 and above
- *43 Controller ROM 1.120.9 and above
- *44 Controller ROM 1.0.19 and above
- *45 Controller ROM 1.100.6 and above
- *46 Controller ROM 1.104.10 and above
- *47 Controller ROM 1.102.15 and above
- *48 Controller ROM 1.101.12 and above
- *49 When using Secondary Ethernet (optional), Image Log Receiving Server must be installed on the network connected to Ethernet1.
- *50 In order to save image logs correctly in Server-less On-Demand Print environment, settings by our customer engineer are required.
- *51 Not supported in Server-less On-Demand Print environment.
- *52 Some devices require options to control image logs.
- *53 Image Log Control Feature is not guaranteed for the image log generated when using an external controller (Print Server).
- *54 When connecting with GP Controller D01, Controller ROM 1.2.107 and above.
- *55 Controller ROM 1.55.0 and above
- *56 Controller ROM 1.50.5 and above
- *57 Controller ROM 1.61.1 and above
- *58 Controller ROM 1.62.0 and above
- *59 Controller ROM 1.50.6 and above
- *60 Controller ROM 1.1.2 and above

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox D95",
"Fuji Xerox D110", "Fuji Xerox D125" or "Fuji Xerox D136".
D95
D110
D110 Light Publisher
D125 Light Publisher
D136

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox B9100",
"Fuji Xerox B9110", "Fuji Xerox B9125", or "Fuji Xerox B9136".
B9100
B9100 Light Publisher
B9110
B9110 Light Publisher
B9125
B9125 Light Publisher
B9136
B9136 Light Publisher

Click the [Machine Status] button, select [General Information] on the [Machine Information] screen and check [Software Version].
You can also check the version on the printed device configuration reports.
For devices with "Large Color Control Panel", the Controller ROM version displayed with the above methods will be displayed as follows.
- Display on Device: 1.120.xx -> 1.100
- Display on Device: 1.121.xx -> 1.101
- Display on Device: 1.122.xx -> 1.102

When [Local Authentication/Local Accounting (Local Authentication)] or [Local Authentication/Network Accounting (Network Authentication)] is selected in administration site settings for the following models, the Card ID of the smart card can be specified in [Alternate Authentication ID] of User Information.
To check the card information of the smart card against the User ID of the device, device configuration is required. Refer to the device manual for details.
- Apeos C7072/C6572/C5572/C4572/C3572/C3072
- Apeos C7071/C6571/C5571/C4571/C3571/C3071
- Apeos C3061/C2561/C2061
- Apeos C3567/C3067/C2567
- Apeos C4030/C3530
- Apeos C3060/C2560/C2060
- Apeos C5240
- Apeos C8180/C7580/C6580
- Apeos C7070/C6570/C5570/C4570/C3570/C3070
- ApeosPort C7070/C6570/C5570/C4570/C3570/C3070
- ApeosPort C3060
- ApeosPort C2560/C2060
- ApeosPort-VII C4421/C3321
- ApeosPort-VII C7788/C6688/C5588
- ApeosPort-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273
- ApeosPort-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271
- ApeosPort-V C7785/C6685/C5585
- ApeosPort-V C7776/C6676/C5576/C4476/C3376/C3374/C2276
- ApeosPort-V C3320
- ApeosPort-V C7775 T2/C6675 T2/C5575 T2/C4475 T2/C3375 T2/C3373 T2/C2275 T2
- ApeosPort-V C7780 T2/C6680 T2/C5580 T2
- ApeosPort-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- ApeosPort-IV C7780/C6680/C5580
- ApeosPort-IV C4430
- ApeosPort-IV C5570/C4470/C3370/C3371/C2270 (※1)
- DocuCentre-VII C5588/C6688/C7788
- DocuCentre-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273
- DocuCentre-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271
- DocuCentre-V C2265/C2263
- DocuCentre-V C7785/C6685/C5585
- DocuCentre-V C7776/C6676/C5576/C4476/C3376/C3374/C2276
- DocuCentre-V C7775 T2/C6675 T2/C5575 T2/C4475 T2/C3375 T2/C3373 T2/C2275 T2
- DocuCentre-V C7780 T2/C6680 T2/C5580 T2
- DocuCentre-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- DocuCentre-V C7780/C6680/C5580
- DocuCentre-IV C2265/C2263
- DocuCentre-IV C5575/C4475/C3375/C3373/C2275
- DocuCentre-IV C7780/C6680/C5580
- DocuCentre-IV C4430
- DocuCentre-IV C5570/C4470/C3370/C3371/C2270 (※1)
- DocuCentre-IV C2260 (※4)
- ApeosPro C810/C750/C650
- DocuColor 1450 GA
- Versant 180i/170i Press
- Versant 80 Press
- Versant 180 Press
- Color C70/C60
- PrimeLink C9065/C9070
- Apeos 6571
- Apeos 3561/3061/2061
- Apeos 5330/4830
- Apeos 7580/6580
- Apeos 3560/3060/2560
- Apeos 6340
- Apeos 5570/4570
- ApeosPort 5570/4570
- ApeosPort 3560/3060/2560
- ApeosPort-VII 5021/4021
- ApeosPort-V 3065/3060/2060
- ApeosPort-V 7080/6080
- ApeosPort-V 5070/4070
- ApeosPort-V 4020
- ApeosPort-IV 7080/6080
- ApeosPort-IV 5070/4070/3070
- ApeosPort-IV 3065/3060/2060
- DocuCentre-V 3065/3060/2060
- DocuCentre-V 7080/6080
- DocuCentre-V 5070/4070
- DocuCentre-IV 7080/6080
- DocuCentre-IV 5070/4070
- DocuCentre-IV 3065/3060/2060
- Revoria Press SC180/SC170
- Revoria Press E1136/E1125/E1110/E1100
- Fuji Xerox D136
- Fuji Xerox D95/D110/D125
- Fuji Xerox B9136/B9125/B9110/B9100
- ApeosPrint C4030
- ApeosPrint C5570
- ApeosPrint C5240
- ApeosPort-VII CP4421
- DocuPrint CP475 AP
- DocuPrint C3555 d/C2555 d

- ApeosPort Print C5570
- DocuPrint C5155 d
- DocuPrint CM415 AP
- DocuPrint CM505 da
- DocuPrint C5005 d
- ApeosPrint 5330
- ApeosPrint 4560 S/3960 S/3360 S
- ApeosPrint 6340
- ApeosPort-VII P5021
- DocuPrint P475 AP
- DocuPrint 4405 d/3505 d/3205 d/4408 d/3508 d/3208 d
- DocuPrint 5105 d
- DocuPrint M465 AP
- DocuPrint 3105

The versions supported by [Local Authentication/Network Accounting (Network Authentication)] are as follows.
※1 Controller ROM 1.101.15 and above
※2 Controller ROM 3.120.9 and above
※3 Controller ROM 1.111.6 and above
※4 Controller ROM 1.120.31 and above

When [Remote Authentication] is selected for administration site settings, the versions of the devices supported in ApeosWare Authentication Management are as follows.
- ApeosPort-IV C5570/C4470/C3370/C3371/C2270